

3.1 Substances

Chemical characterization (substance):

Zinc Amino Acid Chelate	Total Zinc	1800 ppm
Manganese Amino Acid Chelate	Total Manganese	530 ppm
Iron Amino Acid Chelate	Total Iron	330 ppm
Copper Amino Acid Chelate	Total Copper	130 ppm
Cobalt Amino Acid Chelate	Total Cobalt	18 ppm
Magnesium Amino Acid Chelate	Total Magnesium	0.6%
Potassium Amino Acid Complex	Total Potassium	0.5%
Calcium Amino Acid Chelate	Total Calcium	0.075%

Zinc amino acid chelate, manganese amino acid chelate, Iron amino acid chelate, Copper amino acid chelate, Cobalt amino acid chelate, magnesium amino acid chelate, potassium amino acid complex, Calcium amino acid chelate, water, Potassium sorbate, no risks worthy of mention.

Ingredients not specifically listed are non-hazardous and/or are considered to be a trade secret and exempt from percentages not listed per 29 CFR 1910.1200(i).

Section 4: First Aid Measures

4.1 Description of first aid measures

After inhalation:	Remove to fresh air or give oxygen.
In case of skin contact:	If skin irritation exists, wash with soap and water.
After eye contact:	Irrigate thoroughly with water for 10 minutes. If any discomfort persists obtain medical attention.
After swallowing:	If large amounts are ingested, get medical attention, induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Not data available

4.3 Indication of any immediate medical attention and special treatment needed

No special measure are required.

Section 5: Fire fighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

5.2 Special hazards arising from the substance or mixture

Fires in the immediate vicinity may cause the development of dangerous vapors. In case of fire may be liberated: sulphur oxides.

5.3 Advice for fire fighters

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information: Hazchem-Code: -

Suppress gases/vapors/ mists with water spray jet.

Do not allow water used to extinguish fire to enter drains, ground or waterways. Treat runoff as hazardous.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with the substance. Avoid generation of splash. Do not inhale/ingest splash.

6.2 Environmental precautions

Do not allow to penetrate into soil, water bodies or drains.

6.3 Methods and material for containment and cleaning up

Collect dry and place in appropriate containers for disposal, cleaning.

6.4 Reference to other sections

Not required

Section 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling: Avoid contact with the substance. Avoid generation of splash. Do not inhale/ingest splash.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and dry.

Storage class: 12= Non-combustible liquid

7.3 Specific end use(s):

No data available.

Section 8: Exposure controls/personal protection

8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.

DNEL DNEL Workers, Long Term:

Inhalative: 37,6 mg/m3.

Dermal 21,3 mg/kg/bw/d.
DNEL Consumers, Long term
Inhalative: 11,1 mg/m³.
Dermal 12,8 mg/kg/bw/d. Oral 12,8 mg/kg/bw/d

8.2 Exposure controls

Provide adequate ventilation, and local exhaust as needed.

Occupational exposure controls

Respiratory protection: In case of dust: particulates filter P1 according to EN 143.

Hand Protection: Protective gloves according to EN 374.

Glove material: Nitrile rubber-Layer thickness: 0,11 mm.

Breakthrough time: >480 min.

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye Protection: Tightly sealed safety glasses according to EN 166.

Body protection: Wear Suitable protective clothing.

General protection and hygiene measures:

Change contaminated clothing

Wash hands before breaks and after work.

Work place should be equipped with a shower and an eye rinsing apparatus.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State:	Liquid
Color:	Brownish Green
Odor:	odorless
Flash point/ flash point range:	non-flammable
Ignition temperature:	non-flammable
Vapor pressure:	low
Density:	at 20°C: 2.66 g/cm ³
pH value:	at 25°C, 50 g/L: approx. 6-7
Water solubility:	at 0°C: 269 g/L at 20°C: 360 g/L at 40° C: 456 g/L
Thermal decomposition:	1124° C treat as runoff
Freezing Point	15°F

9.2 Personal precautions, protective equipment and emergency procedures

Avoid contact with the substance. Avoid generation of dust. Do not breathe dust.

Section 10: Stability and reactivity

10.1 Reactivity

hygroscopic

10.2 Chemical stability

Product is stable under normal conditions.

10.3 Chemical stability

No particularly hazards known.

10.4 Conditions to avoid

Keep away from heat.

10.5 Hazardous decomposition products

Fires in the immediate vicinity may cause the development of dangerous vapors. In case of fire may be liberated: sulphur oxides.

Thermal decomposition: 1124°C

Section 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity: LD50 Rat, oral: > 2000 mg/kg
LD50 Rat, dermal: > 2000mg/kg
After swallowing: Following intake of large amounts: Nausea, vomiting, diarrhea.
General remarks NOAEL dermal: 256.0 mg/kg bw/day
NOAEL inhalative: 222.0 mg/m³
NOAEL oral: 256.0 mg/kg bw/day

Section 12: Ecological Information

12.1 Toxicity

Aquatic toxicity: Algae toxicity
IC50 Desmodesmus subspicatus: 2700 mg/L/72h.
Bacterial toxicity
EC50 Photobacterium phosphoreum: 84000 mg/L/30 min.
Fish toxicity
LC 50 Gambusia affinis: 15500 mg/L/96h.
Source: IUCLID.
Water Hazard Class: 1 = slightly hazardous to water (WGK catalog number 366)

12.2 Persistence and degradability

Further Details: Methods for the determination of biodegradability are not applicable to inorganic substances.

12.4 Mobility in soil

No data available.

12.6 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

Section 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 06 03 14 = Wastes from the MFSU of salts and their solutions and metallic oxides.

Recommendations: Dispose of waste according to applicable legislation.

14.1 Environmental hazards

Marine Pollutant unknown

14.2 Special precautions for user

No dangerous good in sense of these transport regulations.

14.3 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

14.4 U.S. DOT

Not regulated

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

National regulations - USA

TSCA Inventory: listed
 TSCA HPVA: not listed

Hazard rating system

NFPA Hazard Rating:

Health: 0 (Minimal)
 Fire: 0 (Minimal)
 Reactivity: 0 (Minimal)

0	0
0	0

HMIS Version III Rating:
 Health: 0 (Minimal)
 Flammability: 0 (Minimal)

Health	0
Flammability	0
Physical Hazard	0



Physical Hazard: 0 (Minimal)
Personal Protection: X= Consult your supervisor

15.2 Chemical Safety Assessment

For this substance a chemical safety assessment has been carried out.

Section 16: Other Information

Further information:

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from it sue. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall **Tracer Minerals, LLC** be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if **Tracer Minerals, LLC** has been advised of the possibility of such damages.